

# Car Care Specialties, Inc

116 South Main Street, Unit # 2, Lodi, NJ 07644-2251 TECH SERVICE (973) 767-0035 FAX (973) 767-0038  
TOLL FREE ORDER LINE (877) 796-8300 WWW.CARCAREONLINE.COM

## PRODUCT LIST - 2010 3M - CAR CARE PRODUCTS

**Product  
Number**

**Product  
Description**



**3M IMPERIAL HAND GLAZE - 32 OZ BOTTLE** - The best hand applied, superfine, liquid glaze with high filling characteristics to clean, remove minor swirl marks, polish and renew the "wet look" shine to paint prior to waxing. It removes oxidized pigments, acid rain marks, fine scratches and swirl marks. Apply a small amount to a microfiber applicator pad or a soft, 100% cotton flannel cloth or a terry cloth covered foam applicator pad. Work into the paint using moderate pressure in a linear motion, until all that remains is a slight haze, then buff off with a Blu-Velvet Microfiber Buffing/Polishing Cloth or soft, 100% cotton flannel cloth. May be used as a carrier for P21S Multi-Surface Finish Restorer Polish to polish out deeper scratches. Does not contain silicone and is formulated to work on all colors. Use at least twice a year (spring/fall) to refresh the paint and follow immediately with a coat of quality wax. (Our favorite glaze to remove minor swirl marks.)

- 10103 3M Imperial Hand Glaze - 16 oz Bottle
- 10101 3M Imperial Hand Glaze - 32 oz Bottle
- 10102 3M Imperial Hand Glaze - 1 Gallon Jug



**3M IMPERIAL MACHINE GLAZE - 1 GALLON JUG - DISCONTINUED** - Limited Quantities - A machine applied, superfine, liquid glaze to clean, polish and remove swirls, oxidized pigment, acid rain marks, swirls and fine scratches. Formulated for fully cured paint and will produce a deep, "wet look" when used with a slow speed buffer and a closed cell foam polishing pad. Apply to a small section of the car, work into the paint until it hazes and then buff off with a Blu-Velvet Microfiber Buffing/Polishing Cloth or a soft, 100% cotton flannel cloth. Follow immediately with a coat of quality wax. If you use a machine, this is our favorite glaze. Discontinued - limited quantities available

- 10105 3M Imperial Machine Glaze - 1 Gallon Jug



**3M IMPERIAL MICROFINISHING GLAZE - 32 OZ BOTTLE - DISCONTINUED** - Limited Quantities - A machine glaze designed specifically for fresh acrylic enamel and urethane paints that are less than 30 days old. Does not contain silicone or wax. Apply with a slow speed buffer and a closed-cell foam polishing pad to remove wet sanding or compounding swirl marks. Work a small amount into the paint until it hazes and then buff off with a Blu-Velvet Microfiber Buffing/Polishing Cloth or a soft, 100% cotton flannel cloth. Safe for new, clear coat finishes. Many new paint jobs should not be immediately waxed. Discontinued - limited quantities available.

- 10107 3M Imperial Microfinishing Glaze - 32 oz Bottle



**3M PERFECT-IT HAND GLAZE - 32 OZ BOTTLE - DISCONTINUED** - Limited Quantities - A durable, non-silicone hand glaze and final cleanup created to refine and fill swirl marks after machine glazing new paint jobs. Produces a high-gloss, durable finish that will last through a few car washes. Works equally well on fresh clear and color coat paints. Many new paint jobs should not be immediately waxed. Discontinued - limited quantities available

- 10110 3M Perfect-It Hand Glaze - 32 oz Bottle



**3M PERFECT-IT II FOAM POLISHING PAD GLAZE - DARK - 16 OZ BOTTLE -** A fine glaze with additional dark tinted filling solids that quickly removes and fills light surface imperfections, swirl marks and light oxidation. Produces a deep, rich, swirl free finish. May be applied either by hand or slow speed buffer. The dark glaze is best used on darker color finishes such as black or dark blue finishes. Apply a small amount to a microfiber applicator pad or a 100% cotton flannel cloth or a terry cloth covered foam applicator pad. Work into the paint, by hand, using moderate pressure, in a linear motion, until all that remains is a slight haze. Buff off with a Blu-Velvet Microfiber Buffing/Polishing Cloth or a soft, 100% cotton flannel cloth. May also be applied with a slow speed buffer and closed cell foam polishing pad. Apply to a small section of the car, work into the paint carefully, until it hazes and then buff off with a Blu-Velvet Microfiber Buffing/Polishing Cloth or a 100% cotton flannel cloth. Follow immediately with a quality wax.

- 10113 3M Perfect-It II Foam Polishing Pad Glaze-Dark-16 oz

# Car Care Specialties, Inc

116 South Main Street, Unit # 2, Lodi, NJ 07644-2251 TECH SERVICE (973) 767-0035 FAX (973) 767-0038  
TOLL FREE ORDER LINE (877) 796-8300 WWW.CARCAREONLINE.COM

## PRODUCT LIST - 2010 3M - CAR CARE PRODUCTS

**Product  
Number**

**Product  
Description**



### **3M PERFECT-IT II FOAM POLISHING PAD GLAZE - LIGHT - 16 OZ BOTTLE -**

**DISCONTINUED** - Limited Quantities Available - A fine glaze with additional filling solids that quickly removes and fills light surface imperfections, swirl marks and light oxidation. Produces a deep, rich, swirl free finish. May be applied either by hand or slow speed buffer. The light glaze is best used on any light color paint other than black or dark blue. Apply a small amount to a microfiber applicator pad or a 100% cotton flannel cloth or a terry cloth covered foam applicator pad. Work into the paint, by hand, using moderate pressure, in a linear motion, until all that remains is a slight haze. Buff off with a Blu-Velvet Microfiber Buffing/Polishing Cloth or a soft, 100% cotton flannel cloth. May also be applied with a slow speed buffer and closed cell foam polishing pad. Apply to a small section of the car, work into the paint carefully, until it hazes and then buff off with a Blu-Velvet Microfiber Buffing/Polishing Cloth or a 100% cotton flannel cloth. Follow immediately with a quality wax. Discontinued item.

10116 3M Perfect-It II Foam Polishing Pad Glaze - Light - 16 oz Bottle



**3M PERFECT-IT II RUBBING COMPOUND, LIQUID** - A fine cut rubbing compound to remove 1200 grit sanding marks, coarse swirl marks or heavy oxidation. May be used by hand or with a slow speed buffer and a closed cell foam polishing pad. The compound must be followed with an application of either 3M Imperial Hand Glaze, 3M Foam Pad Polishing Glaze or 3M Liquid Cleaner Wax and finally a coat of wax. Compounds are very aggressive, so should be used very carefully.

10121 3M Rubbing Compound, Liquid - 16 oz Bottle

10119 3M Perfect-It II Rubbing Compound, Liquid - 32 oz

10120 3M Perfect-It II Rubbing Compound, Liquid - 1 Gallon



**3M FINESSE-IT II FINISHING MATERIAL** - A more aggressive machine glaze developed for fully cured paints to remove minor scratches, wet sanding or compounding swirl marks. Does not contain silicone or wax. Apply with a slow speed buffer and a closed cell foam polishing pad. Work a small amount into the paint until it hazes, then buff off with a Blu-Velvet Microfiber Buffing/Polishing Cloth or a soft, 100% cotton flannel cloth. May be applied by hand, but works better with machine application. Safe for both color and clear coat paints. Follow with a coat of quality wax.

10123 3M Finesse-It II Finishing Material - 16 oz Bottle

10122 3M Finesse-It II Finishing Material - 32 oz Bottle

10124 3M Finesse-It II Finishing Material - 1 Gallon



**3M IMPERIAL MICROFINISHING COMPOUND, LIQUID - DISCONTINUED** - Limited Quantities Available - A medium cut, machine applied rubbing compound to remove 1200 grit sanding marks, coarse swirl marks or heavy oxidation. Apply with a slow speed buffer and a closed cell foam polishing pad. Buff out with a slow speed buffer and a closed cell foam finishing pad. The compound must be followed with an application of either 3M Imperial Hand Glaze, 3M Foam Pad Polishing Glaze or 3M Liquid Cleaner Wax and finally a coat of wax. Compounds are very aggressive, so should be used very carefully.

10129 3M Imperial Microfinishing Compound, Liquid - 1 Gallon Jug

10130 3M Imperial Microfinishing Compound, Paste - 1 Gallon Can



**3M ONE STEP LIQUID CLEANER / WAX** - A combination of a glaze and a wax combined into one product that helps remove most fine scratches, light oxidation, swirl marks and minor stains, as well as leave a coat of wax. This is a great product for quick touchups and those situations where a two step glaze and wax is not practical. Apply a small amount to a Blu-Velvet microfiber applicator pad or a soft, 100% cotton flannel cloth or terry cloth covered foam applicator pad. Work into the paint by hand, using moderate pressure, in a linear motion, until all that remains is a slight haze, then buff off with a Blu-Velvet Microfiber Buffing/Polishing Cloth or a soft, 100% cotton flannel cloth. May also be applied with a slow speed buffer using a closed cell foam polishing pad. Apply to a small section of the car, carefully working it into the paint until it hazes and then buff off with a Blu-Velvet Microfiber Buffing/Polishing Cloth or a 100% cotton flannel cloth.

10131 3M One Step Liquid Cleaner / Wax - 16 oz Bottle

10132 3M One Step Liquid Cleaner / Wax - 1 Gallon Jug

# Car Care Specialties, Inc

116 South Main Street, Unit # 2, Lodi, NJ 07644-2251 TECH SERVICE (973) 767-0035 FAX (973) 767-0038  
TOLL FREE ORDER LINE (877) 796-8300 WWW.CARCAREONLINE.COM

## PRODUCT LIST - 2010 3M - CAR CARE PRODUCTS

**Product  
Number**

**Product  
Description**



**3M PERFECT-IT SHOW CAR LIQUID WAX - 16 OZ BOTTLE** - Shines and protects freshly cleaned paint, producing a high-gloss, durable "wet look" finish. Contains both Carnauba wax and fluropolymers to produce a durable finish. May be applied by hand or slow speed buffer using a closed cell foam polishing pad. For best results, apply to a small area and immediately buff out with a Blu-Velvet Microfiber Buffing/Polishing Cloth, otherwise the wax residue may be somewhat difficult to remove. May cause slight clouding on certain European paints.

10141 3M Perfect-It Show Car Liquid Wax - 16 oz Bottle



**3M SHOW CAR GLOSS ENHANCER - DISCONTINUED** - Limited Quantities Available - A lubricating, quick detailing spray that adds gloss, removes fingerprints and helps remove water spots after washing. Will also help remove wax or glaze residue after waxing. Convenient to use, just spray on a very light mist and then immediately buff off with a Blu-Velvet Microfiber Buffing/Polishing Cloth or a soft, 100% cotton flannel cloth. Not a substitute for wax, but adds slickness, depth of color and protection to your existing wax. Great for spot cleaning and maintaining a high gloss shine between waxing. Also the ideal lubricant for clay.

10144 3M Show Car Gloss Enhancer - 16 oz Pump Spray

10145 3M Show Car Gloss Enhancer - 1 Gallon Jug



**3M PERFECT-IT SHOW CAR PASTE WAX - 10.5 OZ CAN** - Shines and protects freshly cleaned paint, producing a high-gloss, durable "wet look" finish. Contains both Carnauba wax and fluropolymers to produce a durable finish. May be applied by hand or slow speed buffer using a closed cell foam polishing pad. For best results, apply to a small area and immediately buff out with a Blu-Velvet Microfiber Buffing/Polishing Cloth, otherwise the wax residue may be somewhat difficult to remove. May cause slight clouding on certain European paints.

10147 3M Perfect-It Show Car Paste Wax - 10.5 oz Can



**3M SUPER WEATHER-STRIP ADHESIVE - 5 OZ TUBE** - A super strong, flexible, rubbery adhesive that withstands vibration and extreme temperature variations. Provides the adhesive strength and rapid setting time that is needed to hold weather-stripping and gaskets in place. The black color eliminates much of the cleanup because it blends with the black rubber gaskets or trim. Clean the area first with 3M General Purpose Adhesive Cleaner to remove all of the old adhesive. Wash the area thoroughly to remove all traces of the solvent, dry completely and apply a thin, even coat of adhesive to both bonding surfaces. Immediately install the part. Apply firm pressure over the entire surface for several minutes to insure complete bonding.

10150 3M Super Weather-Strip Adhesive - 5 oz Tube



**3M SUPER TRIM ADHESIVE - 16 OZ AEROSOL CAN** - A yellow, aerosol applied, high strength, contact adhesive designed to bond vinyl tops, heavyweight headliners and hood silencer pads. Offers not only high strength but also high heat resistance. Apply 2-3 even, thin coats of adhesive to both bonding surfaces, allow the adhesive to cure for approximately 5 minutes, install the part and apply firm pressure over the entire surface for several minutes to insure complete bonding. (Ground shipping only.)

10152 3M Super Trim Adhesive - 16 oz Aerosol Can



**3M GENERAL TRIM ADHESIVE - 16 OZ AEROSOL CAN** - A clear, rapid drying, high strength, aerosol applied, adhesive to bond most types of automotive trim materials. Excellent for bonding fabrics, upholstery, foam, jute pads, carpets and kick pads to painted or bare metal. Not recommended for unsupported vinyl or engine compartments. It offers a high initial bonding strength and a reasonable resistance to heat. (Ground shipping only.)

10156 3M General Trim Adhesive - 16 oz Aerosol Can

# Car Care Specialties, Inc

116 South Main Street, Unit # 2, Lodi, NJ 07644-2251 TECH SERVICE (973) 767-0035 FAX (973) 767-0038  
TOLL FREE ORDER LINE (877) 796-8300 WWW.CARCAREONLINE.COM

## PRODUCT LIST - 2010 3M - CAR CARE PRODUCTS

**Product  
Number**

**Product  
Description**



**3M GENERAL PURPOSE ADHESIVE CLEANER - 32 OZ CAN** - A specially blended solvent that provides easy cleanup of most types of adhesives as well as road tar, grease, oil and similar materials. Should not harm most thoroughly dried automotive paint if it is used carefully and properly. Test all solvents on an inconspicuous area before using to insure compatibility. Apply a small amount to a soft cloth and lightly dab the solvent onto the adhesive, allow it to work for a few minutes and then gently remove the residue. The thicker the adhesive, the more applications required. Wash the area thoroughly with car wash and rinse completely with water after use to remove all traces of solvent.

**10164 3M General Purpose Adhesive Cleaner - 32 oz Can**



**3M PERFECT-IT III MACHINE GLAZE** - DISCONTINUED - Limited Quantities Available - A more aggressive machine glaze developed for fully cured paints to remove minor scratches, wet sanding or compounding swirl marks. Does not contain silicone or wax. Apply with a slow speed buffer and a closed cell foam polishing pad. Work a small amount into the paint until it hazes, then buff off with a Blu-Velvet Microfiber Buffing/Polishing Cloth or a soft, 100% cotton flannel cloth. Safe for both color and clear coat paints. Follow with a coat of quality wax.

**10181 3M Perfect-It III Machine Glaze - 16 oz Bottle**

**10182 3M Perfect-It III Machine Glaze - 32 oz Bottle**

**10183 3M Perfect-It III Machine Glaze - 1 Gallon Jug**



**3M PERFECT-IT III FINISHING GLAZE** - DISCONTINUED - Limited Quantities Available - A machine or hand applied, superfine, liquid glaze to clean, polish and remove swirls, oxidized pigment, acid rain marks, swirls and fine scratches. Formulated for fully cured paint and will produce a deep, "wet look" when used with a slow speed buffer and a closed cell foam polishing pad. Apply to a small section of the car, work into the paint until it hazes and then buff off with a Blu-Velvet Microfiber Buffing/Polishing Cloth or a soft, 100% cotton flannel cloth. Follow immediately with a coat of quality wax.

**10184 3M Perfect-It III Finishing Glaze - 16 oz Bottle**

**10185 3M Perfect-It III Finishing Glaze - 32 oz Bottle**



**3M SCOTCH BRITE GRAY ULTRAFINE PAD - 6" X 9"** - Nylon, Open Web 6" x 9" Pad - A nylon, open web, 6" x 9" pad that is great for heavy-duty cleaning and light sanding on almost any surface. It is tough and may be washed and used over and over. The gray pad is great to finish sand primers and paints prior to painting. Test all pad/cleaner/surface combinations first in an area that does not show to insure that the pad is appropriate for your particular job.

**10195 3M Scotch Brite Gray Ultrafine Pad - 6" x 9"**



**3M SCOTCH BRITE WHITE LIGHT DUTY PAD - 6" X 9"** - Nylon, Open Web 6" x 9" Pad - This nylon, open web, 6" x 9" pad is great for cleaning and light scrubbing on almost any surface. It is tough and may be washed and used over and over. The white pad is the least aggressive and may be used along with a wheel cleaner to scrub heavy, caked-on brake dust buildup from most wheels. May also be used to scrub white wall tires. Test all pad/cleaner/surface combinations first in an area that does not show to insure that the pad is appropriate for your particular job.

**10196 3M Scotch Brite White Light Duty Pad - 6" x 9"**

# Car Care Specialties, Inc

116 South Main Street, Unit # 2, Lodi, NJ 07644-2251 TECH SERVICE (973) 767-0035 FAX (973) 767-0038  
TOLL FREE ORDER LINE (877) 796-8300 WWW.CARCAREONLINE.COM

## PRODUCT LIST - 2010 3M - CAR CARE PRODUCTS

**Product  
Number**

**Product  
Description**



**3M SCOTCH BRITE MAROON GENERAL PURPOSE PAD- 6"X 9"** - Nylon, Open Web 6" x 9" Pad - This nylon, open web, 6" x 9" pad that is great for heavy-duty cleaning and light sanding on almost any surface. It is tough and may be washed and used over and over. The maroon pad is the most aggressive and may be used to scuff bare metal surfaces prior to priming. Test all pad/cleaner/surface combinations first in an area that does not show to insure that the pad is appropriate for your particular job.

10197 3M Scotch Brite Maroon General Purpose Pad- 6"x 9"



**3M SHOWCAR MICROFIBER DETAILING CLOTH - 12" X 14"** - 12" x 14" Microfiber Cloth - The original super-soft, lint-free, microfiber cloth is incredible for cleaning glass, chrome, plastic, vinyl, leather and many other surfaces. The 12" x 14" cloth has dust trapping properties that are unsurpassed. It will also lift light, filmy residues from most surfaces. We have found it useful to remove light polymer off-gas film from the inside of glass. The uses are limited only by your imagination. May be used dry for dusting or polishing, or wet with a multitude of cleaners. Machine wash frequently in warm water and detergent, no fabric softener, and then dry in the dryer. It's also great to remove dust from computer screens. The edge binding may scratch paint, so use with care.

10198 3M Showcar Microfiber Detailing Cloth - 12" x 14"



**3M PERFECT-IT FOAM COMPOUNDING VELCRO BACK PAD - 8"** - Pkg of 2 - A "waffle face", closed cell foam, general purpose 8" compounding pad. The tear resistant foam outperforms wool pads. The Compounding Pad is used to apply most compounds, cut cleaners, glazes and cleaner waxes. Attaches quickly and easily to a 6 1/2" diameter backing plate. To change pads, simply peel off the old pad and pop on the new pad. Each package contains two pads.

13121 3M Perfect-It Foam Compounding Velcro Back Pad - 8"



**3M PERFECT-IT FOAM POLISHING VELCRO BACK PAD - 8"** - Pkg of 2 - A "waffle face", closed cell foam, finishing pad designed to buff off cleaners, glazes or waxes and bring out the deep gloss of polished or waxed surfaces. The soft, textured surface helps bring out a deep gloss while minimizing swirl marks and burned edges. Attaches quickly and easily to a 6 1/2" diameter backing plate. To change pads, simply peel off the old pad and pop on the new pad. Each package contains two pads.

13125 3M Perfect-It Foam Polishing Velcro Back Pad - 8"



**3M PERFECT-IT PLUS FOAM COMPOUNDING VELCRO BACK PAD - 8"** - 8" Diameter with Velcro Back - A "waffle face", closed cell foam, general purpose 8" compounding pad. The tear resistant foam outperforms wool pads. The Compounding pad is used to apply most compounds, cut cleaners, glazes and cleaner waxes. Attaches quickly and easily to a 6 1/2" diameter backing plate. To change pads, simply peel off the old pad and pop on the new pad.

13131 3M Perfect-It Plus Foam Compound Velcro Back - 8"



**3M PERFECT-IT PLUS FOAM POLISHING VELCRO BACK PAD - 8"** - 8" Diameter with Velcro Back - A "waffle face", closed cell foam, finishing pad designed to buff off cleaners, glazes or waxes and bring out the deep gloss of polished or waxed surfaces. The soft, textured surface helps bring out a deep gloss while minimizing swirl marks and burned edges. Attaches quickly and easily to a 6 1/2" diameter backing plate. To change pads, simply peel off the old pad and pop on the new pad.

13135 3M Perfect-It Plus Foam Polishing Velcro Back Pad - 8"